

INDEX OF AUTHORS

- Allard, R., Un anesthésiste au Congo, 422
- Bertho, E. (with COMTOIS, G., and TARDIF, A.), Les doses de succinylcholine employées en anesthésie sont-elles trop élevées? 394
- BESSETTE, J. (with BRUNELLE, J. P., BOUCHER, J., and COSSETTE, G.), L'Intubation orotrachéale et les maux de gorge post-opérateurs, 581
- BLATCHFORD, E., Studies of anti-emetic drugs: a comparative study of cyclizine (Marzine®), pipamazine (Mornidine®), trimethobenzamide (Tigan®), and Hyoscine, 159
- BOCCA, M. (with BRENA, S., and MOMO, D.), Clinical evaluation of cervicothoracic sympathetic nerve block in the management of burns of the hands, 216
- BOUCHER, J. (with BRUNELLE, J. P., COSSETTE, G., and BESSETTE, J.), L'Intubation orotrachéale et les maux de gorge post-opérateurs, 581
- BOUTROS, A. R., Anaesthesia and the thyroid gland: a review, 586
- BRENA, S. (with BOCCA, M., and MOMO, D.), Clinical evaluation of cervicothoracic sympathetic nerve block in the management of burns of the hands, 216
- BRUNELLE, J. P. (with BOUCHER, J., COSSETTE, G., and BESSETTE, J.), L'Intubation orotrachéale et les maux de gorge post-opérateurs, 581
- BRUNN, H. M., JR. (with FOLDES, F. F., MONTE, A. P., and WOLFSON, B.), The influence of exercise on the neuromuscular activity of relaxant drugs, 118
- BURNS, B. D. (with ROBSON, J. G.), (C), 188
- Cameron, H., (C), 425
- CHANG, C. A. (with WYANT, G. M., and RAPICAVOLI, E.), Methoxyflurane (Penthrane®): a laboratory and clinical study, 477
- CHURCHILL-DAVIDSON, H. C., The changing pattern of neuromuscular block, 91
- COCHRANE, W. H., Anatomy and physiology of the newborn related to anaesthesia, 169
- COMTOIS, G. (with BERTHO, E., and TARDIF, A.), Les doses de succinylcholine employées en anesthésie sont-elles trop élevées?, 394
- CONN, A. W., Anaesthesia with hypothermia for open heart surgery in children, 128
- An anaesthetic spray, 76
- COSSETTE, G. (with BRUNELLE, J. P., BOUCHER, J., and BESSETTE, J.), L'Intubation orotrachéale et les maux de gorge post-opérateurs, 581
- COURVILLE, C. B., Paranatal anoxia and its residual encephalic lesions, 3
- CRISWICK, V. G., with DOBKIN, A. B.), The antisialogogue effect of trimethobenzamide HC² (Tigan®), trimeprazine tartrate (Panectyl®), diphenhydramine HCl (Benadryl®), dimenhydrinate (Gravol®, Dramamine®), and cyclizine lactate (Marzine®), 154
- (with DOBKIN, A. B.), Circulatory response to tilt with some anti-emetic and sedative drugs, 387
- Daos, F. G., Comparative effect of curare and succinylcholine on survival time of shocked rats, 402
- DAVIES, L. E. (with DODDS, W. A., GRAVES, H. B., NIXON, J. E., and SLEATH, G. E.), The anaesthetist's role in open heart surgery, 239
- DIAMOND, M. J. (with ROMAGNOLI, A.), Some trials with vanillic diethylamide: a new analeptic, 551
- DOBKIN, A. B., Potentiation of thiopental anaesthesia: with Tigan®, Panectyl®, Benadryl®, Gravol®, Marzine®, Histadyl®, Librium®, and haloperidol (R 1625), 265
- (C), 288
- The Tokaoka respirator for automatic ventilation of the lungs, 556
- (with CRISWICK, V. G.), The antisialogogue effect of trimethobenzamide HCl (Tigan®), trimeprazine tartrate (Panectyl®), diphenhydramine HCl (Benadryl®), dimenhydrinate (Gravol®, Dramamine®), and cyclizine lactate (Marzine®, Marazine®), 154
- (with CRISWICK, V. G.), Circulatory response to tilt with some anti-emetic and sedative drugs, 387
- DODDS, W. A. (with GRAVES, H. B., NIXON, J. E., DAVIES, L. E., and SLEATH, G. E.), The anaesthetist's role in open heart surgery, 239
- (with JENKINS, L. C., and HERSEY,

- L. W.), Management after cardiac arrest, 561
- DONALDSON, H. V. (with WYANT, G. M., and MERRIMAN, J. E.), Observations on pulmonary circulation during light ether anaesthesia in man, 28
- Elton, C. D., Cardiac arrest: a report on ten cases, 64
- EVANS, V. (with JOHNSTONE, M., and MURPHY, P. V.), The halothane-ether azeotrope: an illogical mixture, 53
- Foldes, F. F. (with MONTE, A. P., BRUNN, H. M., JR., and WOLFSON, B.), The influence of exercise on the neuromuscular activity of relaxant drugs, 118
- FORTIN, G. (with MACKAY, A., LORANGE, G., TURNIER, H., and MATHIEU, R.), Remote control general anaesthesia and bronchographic technique in infants and children, 222
- FREY, R. (with SEEGER, R.), Experimental and clinical experience with Toxiferine (alkaloid of Calabash curare), 99
- Gibson, W. C., Electrographic reflections of cerebral hypoxia, 14
- GILLIES, J., Clinical medicine and surgery in anaesthetic practice, 195
- GIOVANELLA, G. (with MANNI, C., MAZZONI, P., and MORICCA, G.), Experimental studies on the fate of decamethonium, 458
- GOWDREY, C. W. (with (HERSEY, L. W., and SPOEREL, W. E.), Central effects of five muscle relaxants, 335
- GRAVES, H. B. (with DODDS, W. A., NIXON, J. E., DAVIES, L. E., and SLEATH, G. E.), An anaesthetist's role in open heart surgery, 239
- (with JENKINS, L. C.), Anaesthesia and pulmonary embolism, 143
- (with JENKINS, L. C.), Blood transfusion reactions during anaesthesia: a clinical study, 492
- GRENNELL, H. J. and VANDEWATER, S. L., The supine hypotensive syndrome during conduction anaesthesia for the near-term gravid patient: case reports, 417
- Harbord, R. P., A look at current ideas on hypoxia, 23
- Pulmonary ventilation and hypoxia, 136
- HERSEY, L. W. (with DODDS, W. A., and JENKINS, L. C.), Management after cardiac arrest, 561
- (with GOWDREY, C. W., and SPOEREL, W. E.), Central effects of five muscle relaxants, 335
- HERSHEY, S. G. (with ZWEIFACH, B. W.), Adaptation: the key to the problem in shock?, 529
- HOLMES, F., (C), 616
- HUDON, F., Methoxyflurane, 544
- Jenkins, L. C. (with DODDS, W. A., and HERSEY, L. W.), Management after cardiac arrest, 561
- (with GRAVES, H. B.), Anaesthesia and pulmonary embolism, 143
- (with GRAVES, H. B.), Blood-transfusion reactions during anaesthesia: a clinical study, 492
- JOHNSTONE, M., (C), 520
- (with EVANS, V., and MURPHY, P. V.), The halothane-ether azeotrope: an illogical mixture, 53
- Kalow, W., Unusual responses to drugs in some hereditary conditions, 43
- KEERI-SZANTO, M., A note on the anaesthetic effect of succinylcholine in clinical situations, 166
- KERR, J. H., Bronchopulmonary resistance in pregnancy, 347
- KILDUFF, C. J., An anaesthetic spray, 421
- Lawrence, V. S., A clinical comparison of Fluothane and the Fluothane-ether azeotrope, 568
- LEGAULT, L., Anesthésie et opération césarienne, 270
- LEVIN, M. J. (with SADOVE, M. S., and RANT-SEJDINAJ, I.), Neurological complications of spinal anaesthesia, 405
- LEWIS, A. (with SPOEREL, W. E.), A modification of Ayre's technique, 501
- LITTLE, D. M., JR. (with ROBERTS, J. C.), Studies with intra-arterial succinylcholine, and its hydrolysis products, 449
- LORANGE, G. (with FORTIN, G., MACKAY, A., TURNIER, H., and MATHIEU, R.), Remote control general anaesthesia and bronchographic technique in infants and children, 222
- LOWRY, R. H., Manned space exploration and the possibility of hypoxia, 70
- Macartney, H. H., Halothane-air anaesthesia using the "Pulmotec" apparatus: preliminary report, 281
- McCAUGHEY, T. J., Anaesthesia for surgical correction of vascular ring, 433
- MACDONALD, D. A. C., An anaesthetic record, 177

- McINTYRE, J. W. R., The significance and treatment of hypertension during anaesthesia, 276
- MACKAY, A. (with FORTIN, G., LORANGE, G., TURNIER, H., and MATHIEU, R.), remote control general anaesthesia and bronchographic technique in infants and children, 222
- MANNI, C. (with GIOVANELLA, G., MAZZONI, P., and MORICCA, G.), Experimental studies on the fate of decamethonium, 458
- MATHIEU, R. (with FORTIN, G., MACKAY, A., LORANGE, G., and TURNIER, H.), Remote control general anaesthesia and bronchographic technique in infants and children, 222
- MAZZONI, P. (with GIOVANELLA, G., MANNI, C., and MORICCA, G.), Experimental studies on the fate of decamethonium, 458
- MERRIMAN, J. E. (with WYANT, G. M., and DONALDSON, H. V.), Observations on pulmonary circulation during light ether anaesthesia in man, 28
- MILLAR, R. A. (with MORRIS, M. E.), A study of methoxyflurane anaesthesia, 210
- (with MORRIS, M. E.), Sympathoadrenal responses during general anaesthesia in the dog and man, 356
- MOMO, D. (with BRENA, S., and BOCCA, M.), Clinical evaluation of cervicothoracic sympathetic nerve block in the management of burns of the hands, 216
- MONTE, A. P. (with FOLDES, F. F., BRUNN, H. M., JR., and WOLFSON, B.), The influence of exercise on the neuromuscular activity of relaxant drugs, 118
- MORICCA, G. (with GIOVANELLA, G., MANNI, C., and MAZZONI, P.), Experimental studies on the fate of decamethonium, 458
- MORRIS, M. E. (with MILLAR, R. A.), A study of methoxyflurane anaesthesia, 210
- (with MILLAR, R. A.), Sympathoadrenal responses during general anaesthesia in the dog and man, 356
- MURPHY, P. V. (with JOHNSTONE, M., and EVANS, V.), The halothane-ether azeotrope: an illogical mixture, 53
- NIXON, J. E. (with DODDS, W. A., GRAVES, H. B., DAVIES, L. E., and SLEATH, G. E.), The anaesthetist's role in open heart surgery, 239
- Parkhouse, J., (C), 188, 426
- PERREAULT, L., Emploi du Fluothane en anesthésie dentaire, 516
- POWER, D., Methoxyflurane: McGill University experience, 488
- Rant-Sejdinaj, I. (with SADOVE, M. S., and LEVIN, M. J.), Neurological complications of spinal anaesthesia, 405
- RAPICAVOLI, E. (with WYANT, G. M., and CHANG, C. A.), Methoxyflurane (Penththane®): a laboratory and clinical study, 477
- RINFRET, L., A few suggestions to those who are going to surgery (Subject to the surgeon's approval) / Quelques conseils aux futurs opérés, sujets à l'approbation du chirurgien, 77
- ROBERTS, H., Postoperative administration of methylphenidate, 257
- ROBERTS, J. C. (with LITTLE, D. M., JR.), Studies with intra-arterial succinylcholine and its hydrolysis products, 449
- ROBSON, J. G. (with BURNS, B. D.), (C), 188
- ROMAGNOLI, A. (with DIAMOND, M. J.), Some trials with vanillic diethylamide: a new analeptic, 551
- Sadove, M. S. (with LEVIN, M. J., and RANT-SEJDINAJ, I.), Neurological complications of spinal anaesthesia, 405
- SEEGER, R. (with FREY, R.), Experimental and clinical experience with Toxiferine (alkaloid of Calabash curare), 99
- SLEATH, G. E. (with DODDS, W. A., GRAVES, H. B., NIXON, J. E., and DAVIES, L. E.), The anaesthetist's role in open heart surgery, 239
- SMITH, R. M. (with STETSON, J. B.), The use of phenazocine (Prinadol®) as an adjunct in paediatric anaesthesia, 575
- SPOEREL, W. E. (with HERSEY, L. W., and GOWDREY, C. W.), Central effects of five muscle relaxants, 335
- (with LEWIS, A.), A modification of Ayre's technique, 501
- STETSON, J. B. (with SMITH, R. M.), The use of phenazocaine (Prinadol®) as an adjunct in paediatric anaesthesia, 575
- STOELTING, V. K. (with TAYLOR, C.), Halothane (Fluothane) anaesthesia for paediatric cardiac surgery, 247
- Tardif, A. (with COMTOIS, G., and BERTHO, E.), Les doses de succinylcholine employées en anesthésie sont-elles trop élevées?, 394
- TAYLOR, C. (with STOELTING, V. K.), Halothane (Fluothane) anaesthesia for paediatric cardiac surgery, 247
- TRAHAN, M. Continuous epidural anaesthesia in multiple fractures of the ribs, 512

- TURNIER, H. (with FORTIN, G., MACKAY, A., LORANGE, G., and MATHIEW, R.), Remote control general anaesthesia and bronchographic technique in infants and children, 222
- Vandewater, S. L. (with GRENNELL, H. J.), The supine hypotensive syndrome during conduction anaesthesia for the near-term gravid patient: case reports, 417
- Wolfson, B. (with FOLDES, F. F., MONTE, A. P., and BRUNN, H. M. JR.), The influence of exercise on the neuromuscular activity of relaxant drugs, 118
- WYANT, G. M., (C), 287
- (with CHANG, C. A., and RAPICAVOLI, E.), Methoxyflurane (Penthrane®): a laboratory and clinical study, 477
- (with DONALDSON, H. V., and MERRIMAN, J. E.), Observations on pulmonary circulation during light ether anaesthesia in man, 28
- Zingg, W., The prevention of shock following extracorporeal circulation and hypothermia, 468
- ZWEIFACH, B. W. (with HERSHEY, S. G.), Adaptation: the key to the problem in shock?, 529

INDEX OF SUBJECTS

- Adenoidectomy**, cardiac arrest during, 67
- Adrenals**: effect of shock on, 538; sympatho-adrenal responses during general anaesthesia in the dog and man (Millar & Morris), 356
- Africa**, anaesthetist in the Congo (Allard), 422
- Alton, John A.** (Obit.), 624
- Anaesthesia**
 and pulmonary embolism (Jenkins & Graves), 143
 and the thyroid gland (Boutros), 586
 apparatus: an anaesthetic spray (Conn), 76; (Kilduff), 421; modification of Ayre's technique (Lewis & Spoerel), 501
 blood transfusion reactions during (Jenkins & Graves), 492
 causing hypoxia, 140
 conduction, supine hypotensive syndrome during, for the near-term gravid patient (Grennell & Vandewater), 417
 dental, use of Fluothane in (Perrault), 516
 endotracheal, causes of post-operative sore throat following (Brunelle & others), 581
 epidural, in multiple fractures of the ribs (Trahan), 512
 ether, pulmonary circulation during light (Wyant & others), 28
 evolution of modern principles, 195
 for caesarean section (Legault), 270
 for the hyperthyroid patient, 601
 for the hypothyroid patient, 601
 for open heart surgery (Dodds & others), 239
 for surgical correction of vascular ring (McCaughey), 433
 general: and brochographic technique in infants and children (Fortin & others), 222; sympatho-adrenal responses during, in the dog and man (Millar & Morris), 356; technique for caesarean operation, 271
 halothane (Fluothane), for paediatric cardiac surgery (Taylor & Stoelting), 247
 halothane-air, using the "Pulmotec" apparatus (Macartney), 281
 hypertension during, significance and treatment (McIntyre), 276
 methoxyflurane in (Hudon), 544
 nitrous oxide, mental performance under (C), 186, 188
 obstetrical, supine hypotensive syndrome during conduction, for the near-term gravid patient (Grennell & Vandewater), 417
 paediatric: anatomy and physiology of the newborn in relation to (Cochrane), 169; halothane (Fluothane) for cardiac surgery (Taylor & Stoelting), 247; use of phenazocine (Prinadol) as an adjunct (Smith & Stetson), 575
 position in: circulatory response to tilt with some anti-emetic and sedative drugs (Dobkin & Criswick), 387; supine hypotensive syndrome during conduction, for the near-term gravid patient (Grennell & Vandewater), 417
 practice of, clinical medicine and surgery (Gillies), 195
 pulmonary circulation during light ether (Wyant & others), 28
 records (C), 425; MacDonald, 177
 recruitment in (Ed), 89
 spinal, neurological complications of (Sadove & others), 405
 thiopental, potentiation of, with Tigan®, Panectyl®, Benadryl®, Gravalol®, Marzine®, Histadyl®, Librium®, and haloperidol (R 1625) (Dobkin), 265
 with hypothermia for open heart surgery (Conn), 128
 with methoxyflurane, a study of (Millar), 210
- Anaesthetist**, in the Congo (Allard), 422
- Anesthesiology**: education in (Ed), 527; recruitment in (Ed.), 89
- Analeptics**, some trials with vanillic diethylamide (Romagnoli & Diamond), 551
- Anatomy**, of the newborn, related to anaesthesia (Cochrane), 169
- Anectine®**, *see* Succinylcholine chloride
- Anoxia**, paranasal, and its residual encephalic lesions (Courville), 3
- Anti-emetics**, circulatory response to tilt with (Dobkin & Criswick), 387
- Aorta**, anomalies of the arch and vessels arising from, anaesthesia for surgical correction of (McCaughey), 433
- Apparatus**: an anaesthetic spray (Conn), 76; Ayre "T-Piece," a modification of (Lewis & Spoerel), 501; "Pulmotec," halothane-air anaesthesia using (Macartney) 281; remote control anaesthesia, for bronchography, in infants and children, 226
- Armstrong, John W. A.** (Obit.), 624
- Asphyxia**, effects of general anaesthetic agents on sympatho-adrenal responses to, 370
- Asthma**, complicating pregnancy, bronchopulmonary resistance in (Kerr), 347

- Atrial septal defect, *see* Heart
- Ayre's technique, a modification of (Lewis & Spoerel), 501
- Azeotropic mixtures: (C), 520; halothane-ether, an illogical mixture (Johnstone & others), 53; *see also* Halothane
- Backache**, as a complication of spinal anaesthesia, 411
- Barbiturates, effect of porphyria on response to, 44
- Benadryl®, *see* Diphenhydramine
- Block: dual neuromuscular, 93; neuromuscular, changing patterns of (Churchill-Davidson), 91; neuromuscular, identification of type (Churchill-Davidson), 96
- Blood, coagulation, effect of Toxiferine on, 102
- Blood-brain barrier, effect of relaxant drugs on, 342
- Blood pressure: effect of anti-emetic and sedative drugs on (Dobkin & Criswick), 387; effect of Toxiferine on, 103, 112; mean pulmonary artery, effect of light ether anaesthesia on, 36; mean systemic, effect of light ether anaesthesia on, 34
- Blood transfusion: reactions during anaesthesia (Jenkins & Graves), 492; stored citrated whole, physico-chemical composition of, 492
- Blood volume, effect of light ether anaesthesia on, 34
- Brain: cerebral hypoxia, electrographic reflections of (Gibson), 14; cerebrovascular accident, as a complication of spinal anaesthesia, 409; electroencephalographic reflections of cerebral hypoxia (Gibson), 14; lesions in infancy, caused by anoxia incident to the birth process, 8; lesions in infancy, role of the anaesthetist in production of, 11; lesions, residual parnatal, from fatal cases occurring in later life, 6
- British Oxygen Canada prize, 81, 193, 428, 231, 526, 623
- Bronchogram, cardiac arrest during local anaesthesia for, 64
- Bronchography: in infants and children, remote control general anaesthesia for (Fortin & others), 222; radiation hazards in, 225
- Burns: change of dressings, cardiac arrest during anaesthesia for, 64; of hands, evaluation of cervicothoracic sympathetic nerve block in management of (Brena & others), 216
- Book Reviews
A Doctor's Memoirs, A. I. Willinsky, 192
- Anaesthetic Accidents*, V. Keating, 295
- Cutaneous Innervation*, William Montague (ed.), 294
- Electroencephalography in Anaesthesiology*, Albert Faulconer and Reginald G. Bickford, 79
- Exposés d'Anesthésiologie*, P. Huguenard et P. Jaquenoud, 80
- Flow Properties of Blood and Other Biological Systems*, A. L. Copley and G. Stainsby, 427
- Fundamentals of Nerve Blocking*, Vincent J. Collins, 79
- General Anaesthesia for Dental Surgery*, R. S. Walsh, 79
- Hypothermia and the Effects of Cold*, British Medical Bulletin, January, 1961, 294
- Hypothermia for the Neurosurgical Patient*, Antoine Boba, 191
- Hypothermia in Surgical Practice*, Keith Cooper and Donald Ross, 191
- Modern Trends in Cardiology*, A. Morgan Jones, (ed.), 521
- Modern Trends in Endocrinology* (second series), H. Gardiner-Hall (ed.), 521
- Principles of General Neurophysiology Relating to Anaesthesia and Surgery*, B. D. Wyke, 294
- The Conquest of Pain*, Ronald Woolmer, 618
- The Putnam Medical Dictionary*, Norman Burke Taylor and Allen Ellsworth Taylor, 618
- Caesarean section, anaesthesia for (Legault), 270
- Canadian Anaesthetists' Society: Annual meeting, 552; membership list, 297
- Cardiac, *see* Heart
- Cerebral, *see also* Brain
- Cerebral palsy, caused by parnatal anoxia, 6
- Chest, crush injury of, role of anaesthesia in treatment of, 200
- Chloroform, anaesthesia, sympatho-adrenal response during, 359
- Choline, effect on neuromuscular transmission, 449, 451
- Cholinesterase: apnoea due to low, in plasma (Churchill-Davidson), 92; atypical pseudocholinesterase, effect of, on response to succinylcholine, 45
- Circulatory system: mean transit time, effect of light ether anaesthesia on, 35; peripheral, effect of light ether anaesthesia on (Wyant & others), 28; peripheral resistance, effect of light ether anaesthesia on, 35; pulmonary, effect of light ether anaesthesia on (Wyant & others), 28
- Congo, *see* Africa

- Conclusions, relation between parnatal anoxia and, 5
- Curare, effect on survival time of shocked rats, compared with succinylcholine (Daos), 402
- Cyclizine lactate (Marzine®): anti-emetic effect of (Blarchford, 159; circulatory response to tilt with, 387; potentiation of thiopental anaesthesia with (Dobkin), 265
- Cyclopropane, anaesthesia, sympatho-adrenal responses during, 359, 372
- Decamethonium (Syncurine®): central effects of, 337; experimental studies on the fate of (Giovannella & others), 458; pharmacological action of (Giovannella & others), 458
- Decamethonium bromide, influence of exercise on neuromuscular activity (Foldes & others), 118
- Diagnosis, role of anaesthesia in, 202
- Diethyl ether: anaesthesia, sympatho-adrenal responses during, 359, 374; halothane mixtures (Dobkin (C), 288
- Dilantin sodium, and hypothermia in control of convulsions following cardiac arrest, 564
- Dimenhydrinate (Gravol®, Dramamine®): antisialogogue effects of (Dobkin & Criswick), 154; circulatory response to tilt with, 387; potentiation of thiopental anaesthesia with (Dobkin), 265
- Diphenhydramine HCl (Benadryl®): antisialogogue effects of (Dobkin & Criswick), 154; circulatory response to tilt with, 387; potentiation of thiopental anaesthesia with (Dobkin), 265
- Dramamine®, *see* Dimenhydrinate
- Drugs: anti-emetic, a comparative study of cyclizine (Marzine®), pipamazine (Mornidine®), trimethobenzamide (Tigan®), and hyoscine (Blatchford), 159; antisialogogue effect of trimethobenzamide HCl (Tigan®), trimeprazine tartrate (Panectyl®), diphenhydramine HCl (benadryl®), dimenhydrinate (Gravol®, Dramamine®), and cyclizine lactate (Marzine®, Marazine®) (Dobkin & Criswick), 154; relaxant, neuromuscular block, changing patterns of Churchill-Davidson), 91; sedative, circulatory response to tilt with (Dobkin & Criswick), 387; unusual responses to, in some hereditary conditions (Kalow), 43
- D-tubocurarine chloride (Tubarine®): influence of exercise on neuromuscular activity of (Foldes & others), 118; central effects of, 337; pharmacological action of, 465
- Eclampsia, *see* Pregnancy
- Electroencephalography, *see* Brain
- Embolism, pulmonary: anaesthesia and (Jenkins & Graves), 143; clinical manifestations, 145; post-anaesthetic considerations, 150; pre-anaesthetic considerations in prevention, 148
- Endotracheal intubation, *see* Intubation
- Epilepsy, relation between parnatal anoxia and, 4
- Extracorporeal circulation, and hypothermia, prevention of shock following (Zingg), 468
- Eye, intraocular pressure, effect of anaesthetic drugs on, 47
- Flaxedil®, *see* Gallamine tri-ethiodide
- Fluothane, *see* Halothane
- Gallamine tri-ethiodide (Flaxedil®): central effects of, 337; influence of exercise on neuromuscular activity of (Foldes & others), 118
- Gall bladder, cholecystitis, cardiac arrest during surgery for, 65
- Glaucoma: differential diagnosis of type to determine the action of drugs on intraocular pressure, 47; narrow-angle, effect of drugs on intraocular pressure in, 47; wide-angle, effect of drugs on intraocular pressure in, 47
- Gravol®, *see* Dimenhydrinate
- Haemorrhage: effect of general anaesthetic agents on sympatho-adrenal responses to, 370; role of anaesthesia in treatment of, 202
- Haloperidol (R 1625): circulatory response to tilt with, 387; potentiation of thiopental anaesthesia with (Dobkin), 265
- Halothane (Fluothane): anaesthesia for paediatric cardiac surgery (Taylor & Stoelting), 247; anaesthesia, sympatho-adrenal responses during, 359, 374; azeotrope (C), 287, 288; ether azeotrope, an illogical mixture (Johnstone & others), 53; Fluothane-ether azeotrope, clinical comparison (Lawrence) 568; in dental anaesthesia (Perreault), 516
- Halothane-air, anaesthesia, using the "Pulmotec" apparatus (Macartney), 281

- Headache, as a complication of spinal anaesthesia, 411
- Heart
- atrial septal defect, anaesthesia with hypothermia for open surgery of, 128
 - cardiac arrest: as a complication of spinal anaesthesia, 412; management after (Dodds & others), 561; report of ten cases (Elton), 64
 - cardiac output, effect of light ether anaesthesia on, 33
 - open surgery, anaesthesia with hypothermia (Conn), 128
 - patent ductus arteriosus, cardiac arrest during surgery for, 68
 - pulmonary stenosis, anaesthesia with hypothermia for open surgery, 133
 - stroke volume effect of light ether anaesthesia on, 36
 - surgery: cardiac bypass for, 243; cardiac arrest during, 66; paediatric, halothane (Fluothane) anaesthesia for (Taylor & Stoelting), 247; role of anaesthetist in open (Dodds & others), 239
- Hemodynamics, sympatho-adrenal responses to general anaesthesia in the dog and man (Millar & Morris), 356
- Heredity, influences on drug response in man (Kalow), 43; 1,6-hexamethylene-bis-carbaminoylcholine (Imbretil®), central effects of, 337
- Histadyl®; *see* Thienylpyramine
- Histamine, reaction, following use of muscle relaxants, 342
- Hyoscine, anti-emetic effect of (Blatchford), 159
- Hypercarbia, effect of general anaesthetic agents on sympatho-adrenal responses to, 370
- Hypertension, during anaesthesia: causes of, 277; significance and treatment of (McIntyre), 276
- Hyperthyroid; *see* Thyroid
- Hypothermia: and extracorporeal circulation, prevention of shock following (Zingg), 468; anaesthesia with, for open heart surgery (Conn), 128; clinical use in management of patient after cardiac arrest, 564
- Hypothyroid, *see* Thyroid
- Hypoxia: current ideas on (Harbord), 23; due to anaesthesia, 140; due to pulmonary disease, 136; during operations, due to pulmonary disease, 138; electrographic reflections of (Gibson), 14; manned space exploration and the possibility of (Lowry), 70; pulmonary ventilation and (Harbord), 136
- Imbretil®, *see* 1,6-Hexamethylene-bis-carbaminoylcholine
- Infants, newborn, anatomy and physiology of, related to anaesthesia (Cochrane), 169
- Intraocular pressure *see* Eye
- Intubation, endotracheal: for bronchography in infants and children, 223; post-operative sore throat following use, causes of (Brunelle & others), 581
- Librium®, *see* Methaminodiazepoxide
- Lungs: disease, causing hypoxia, 136, 138; Takaoka respirator for automatic ventilation of (Dobkin), 556
- Marzine®, *see* Cyclizine
- Medicine, clinical, in anaesthetic practice (Gillies), 195
- Mendelson's syndrome, 347
- Meningitis, as a complication of spinal anaesthesia, 409
- Meperidine, in control of convulsions following cardiac arrest, 564
- Methaminodiazepoxide (Librium®): circulatory response to tilt with, 387; potentiation of thiopental anaesthesia with (Dobkin), 265
- Methoxyflurane (Penthane): (Hudon), 544; apparatus for use of, 588; anaesthesia, a study of (Millar), 210; as an inducing agent, 489; chemical properties of, 477; combined with thiopentone or nitrous oxide, 489; contra-indications to use, 489; effect on circulation, 546; effect on gastro-intestinal system, 547; effect on muscle relaxation, 547; effect on respiration, 546 laboratory and clinical study (Wyant & others), 477; McGill University, experiences with (Power), 488; maintenance of anaesthesia with, 490; physical properties of, 477; recovery following use of, 490, 547
- Methylphenidate: pharmacology of (Roberts), 257; postoperative administration of (Roberts), 257
- Mornidine®, *see* Pipamazine
- Muscle relaxants: anaesthetic action of succinylcholine (Kerri-Szanto), 166; central effects of five (Hersey & others), 335; influence of exercise on the neuromuscular activity of (Foldes & others), 118; Toxiferine, experimental and clinical experience with (Frey), 99
- Muscles: ocular, effect of Toxiferine on, 103; pain following use of succinylcholine, 91
- Myoneural junction, effects of muscle relaxants on, 337

- Narcosis**, thiopental, effect of Tigan®, Panectyl®, Benadryl®, Graval®, Marzine®, Histadyl®, Librium®, and haloperidol (R 1625) on (Dobkin), 285
- Nerves**, cervicothoracic sympathetic block in management of burns of the hands (Brena & others), 216
- Nervous system**: central, effects of five muscle relaxants on (Hersey & others), 335; sympathetic, role of in maintenance of circulatory homeostasis in general anaesthesia (Millar & Morris), 356
- News letter**: Alberta, 84; British Columbia, 290, 619; Manitoba, 85, 291; Nova Scotia, 622; Ontario, 82, 291, 524, 620; Quebec, 83, 292, 428, 621; Saskatchewan, 85, 291, 524, 620
- Nitrous oxide** (C), 426
Fluothane anaesthesia for dentistry (Perreault), 516
mental performance under (C), 186, 188
oxygen-methoxyflurane anaesthesia; complications, 483; duration, 482; induction, 483; recovery time, 483
- Oesophagus**, obstruction due to anomalies of the vascular ring, anaesthesia in surgical correction of (McCaughy), 433
- Oxygenator**: prevention of shock following use of (Zingg), 468; pump, for open heart surgery, 242
- Panectyl®**, *see* Trimeprazine tartrate
- Paraldehyde**, and hypothermia, control of convulsions following cardiac arrest, 564
- Paralysis**, hereditary periodic, effect of, on response to drugs, 46
- Patent ductus arteriosus**, *see* Heart
- Penthrane**, *see* Methoxyflurane
- Phaeochromocytoma**, causing hypertension during anaesthesia, 277
- Phenazocine** (Prinadol®): as an adjunct in paediatric anaesthesia (Smith & Stetson), 575; as a supplement to general anaesthesia in paediatrics, 577; preoperative sedation in paediatric anaesthesia, 575; relief of postoperative pain and restlessness with, in paediatric anaesthesia, 578
- Phenobarbital**, and hypothermia in control of convulsions following cardiac arrest, 564
- Physiology**, of the newborn related to anaesthesia (Cochrane), 169
- Pipamazine** (Mornidine®), anti-emetic effect of (Blatchford), 159
- Porphyria**, effect of, on responses to drugs, 44
- Postoperative**, *see* Surgery
- Pregnancy**: bronchopulmonary resistance in (Kerr), 347; pre-eclamptic toxæmias, bronchopulmonary resistance in (Kerr), 347
- Prinadol®**, *see* Phenazocine
- Promethazine**, and hypothermia in control of convulsions following cardiac arrest, 564
- Pseudocholinesterase**, *see* Cholinesterase
- Pulmonary resistance**, effect of light ether anaesthesia on, 37
- Pulse rate**, effect of anti-emetic and sedative drugs on (Dobkin & Criswick), 387
- Radiation**, hazards of, in bronchography, 225
- Radioisotopes**, in diagnostic tests of thyroid function and disease, 591
- Records**, anaesthetic (MacDonald), 177
- Respiration**: effects of muscle relaxants on 337; pulmonary ventilation and hypoxia (Harbord), 136
- Respirators**, Takaoka, for automatic ventilation of the lungs (Dobkin), 556
- Reticulo-endothelial system** (RES), role of, in shock, 534
- Ribs**, multiple fractures of, continuous epidural anaesthesia in (Trahan), 512
- Ritalin®**, *see* Methylphenidate
- Royal college of physicians and surgeons of Canada**, examination results, 190
- Salivary glands**, effect of toxiferine on secretion, 101
- Shock**: adaptation: the key to the problem on (Hershey & Zweifach), 529; comparative effects of curare and succinylcholine in rats (Daos), 402; prevention of, following extracorporeal circulation and hypothermia (Zingg), 468
- Skin**, effect of Toxiferine on, 101, 112
- Space flight**: and the possibility of hypoxia (Lowry), 70; physiological effects of (Lowry), 70
- Stenosis**, *see* Heart
- Stroke**, *see* Brain
- Succinylcholine**: action of, upon neuromuscular transmission, 449; anaesthetic effect of, in clinical situations (Kerri-Szanto), 166; chemistry of, 395; effect of atypical pseudo-cholinesterase on response to, 45; effect on survival time of shocked rats compared with curare (Daos), 402; history of, 394; hydrolysis, pathology of, 450; influence of exercise on neuromuscular activity (Foldes & others), 118; is the

- anaesthetic dosage too high? (Comtois & others), 394; mode of action, 395; studies with intra-arterial, and its hydrolysis products (Roberts & Little), 449; succinylcholine chloride (Amectine®), central effects of, 337
- Succinylcholine: effect on heart rate, 92; intra-arterial muscle response to, 451; intravenous, muscle response to, 451
- Succinylmonocholine, and choline, intra-arterial administration of, muscle response to, 451
- Supine hypotensive syndrome: (C), 616; during conduction anaesthesia for the near-term gravid patient (Grennell & Vandewater), 417
- Surgery: complications, role of anaesthetist in control of, 204, 207; emergency, role of anaesthesia in, 199; post-operative administration of methylphenidate (Roberts), 257; suggestions for the patient undergoing (Rinfret), 77
- Syncurine®, *see* Decamethonium
- Takaoka respirator, for automatic ventilation of lungs (Dobkin), 556
- Thenylpyramine (Histadyl®), potentiation of thiopental anaesthesia with (Dobkin), 285
- Thiopentone, and hypothermia in control of convulsions following cardiac arrest, 564
- Throat, post-operative sore, causes of in endotracheal intubation (Brunelle & others), 581
- Thyroid
 disease and function: basal metabolic rate in diagnostic tests of, 590; laboratory diagnostic tests of, 590; use of radioactive iodine in diagnostic tests of, 591; use of radioisotopes in diagnostic tests of, 591
 function, effect of anti-thyroid drugs on, 594; factors affecting, 591; in pregnancy, 594; role of adenohypophysis in regulation of, 588; role of central nervous system in regulation of, 588; role of iodine in regulation of, 589; role of thyroid gland in regulation of, 589
 gland in anaesthesia (Boutros), 586
 hormones, chemistry, synthesis and fate of, 586
 hormones, effect on: carbohydrate metabolism, 598; central nervous system, 600; creatine metabolism, 599; growth, 598; lipid metabolism, 599; red cell mass, 600; vitamin metabolism, 599; water and electrolytes, 597
 hormones, pharmacological action of, 597
 hormones, physiological action of, 597
 hyperthyroid: anaesthetic management of patients with, 601; manifestations of, 601
 hypothyroid: anaesthetic management of patients with, 611; manifestations of, 609
- Thyroidectomy: anaesthetic management, 602; complications during anaesthesia, management of, 605; post-operative complications, management of, 607
- Tigan®, *see* Trimethobenzamide
- Tilt, *see* Anaesthesia, position in
- Tonsillectomy, cardiac arrest during, 67
- Toxiferine: combined with anaesthetics, 109; contraindications to use, 116; dose, 103, 113; duration of action, 105; experimental and clinical experience with (Frey), 99; histamine effects, 101, 112; indications for use of, 115; side effects of, 109
- Toxiferine chloride (Toxiferine), influence of exercise on the neuromuscular activity of (Foldes & others), 118
- Trauma, role of anaesthesia in treatment of, 200
- Trimeprazine (Panectyl®): circulatory response to tilt with, 387; potentiation of thiopental anaesthesia with (Dobkin), 285
 Trimeprazine tartrate (Panectyl®), antisialogogue effects of (Dobkin & Criswick), 154
- Trimethobenzamide (Tigan®): anti-emetic effect of (Blatchford), 159; circulatory response to tilt with, 387; potentiation of thiopental anaesthesia with (Dobkin), 285
- Trimethobenzamide HCl (Tigan®), antisialogogue effect of (Dobkin & Criswick), 154
- Tubarine®, *see* D-tubocurarine chloride
- Urea, clinical use in management of patients following cardiac arrest, 564
- Vanillic diethylamide, trials with (Romagnoli & Diamond), 551
- Vascular ring
 anaesthesia for surgical correction of (McCaughey), 433; technique, 446
 anomalies of: classification, 433; diagnosis, 434; embryology, 433
- Ventilation, *see* Respiration
- Vomiting, aspiration of vomitus during obstetrical anaesthesia (Kerr), 347
- World congress of anaesthesiologists (Ed.), 1

